

## V-Series High Power Laser Diode Module




**Features** ◆ High output power of 200 W

- ◆ 200μm/0.22NA multimode optical fiber
- ◆ Center wavelength 450±10nm

**Applications** ◆ Industrial Processing

- ◆ Lighting

## Package Dimensions (mm)



Pin-out Assignment			
Pin	Function	Pin	Function
1	LD1(+)	9	Aiming Beam (+5V)*
2	LD1(-)	10	Aiming Beam (0V)
3	LD2(+)	11	Thermistor
4	LD2(-)	12	Thermistor
5	LD3(+)	13	-
6	LD3(-)	14	-
7	LD4(+)	15	PD(N)
8	LD4(-)	16	PD(P)

\*Optional built-in constant power circuit, 5V power supply needed.

## Typical Device Performance (20°C)

	Min	Typical	Max	Unit
<b>Optical</b>				
CW Output Power	-	200	-	W
Center Wavelength	-	450±10	-	nm
Spectral Width (90% of Power)	-	4.0	-	nm
<b>Electrical*</b>				
Threshold Current	-	0.6	-	A
Operating Current	-	-	3.5	A
Operating Voltage (Single Channel)	-	65	-	V
Slope Efficiency (Single Channel)	-	18	-	W / A
Power Conversion Efficiency		22	-	%
<b>Aiming laser **</b>				
CW Output Power	-	2	-	mW
Center Wavelength	-	650±10	-	nm
Operating Current	-	<30	-	mA
Operating Voltage	-	5	-	V
<b>Fiber***</b>				
Fiber Core Diameter	-	200	-	μm
Numerical Aperture	-	0.22	-	-
Fiber Length	-	1~5	-	m
Fiber Connector	-	D80/SMA905	-	-
<b>Water Cooling</b>				
Cooling Capacity		1000		W
Minimum Flow Rate		4.0		L/Min
Water Pressure		0.3		Mpa
Temperature		20		°C
PH		5.6~7.9		
Water Quality		RO/DH20		

\* 4 groups of LD assembled inside the module, and the operating voltage and slope efficiency of each groups are basically the same.

\*\*Aiming laser: Optional built-in constant power circuit, 5V power supply needed. The operating voltage of 515nm green light is 9V.

\*\*\*Customized fiber and connector available.

## Absolute Ratings

	<b>Min</b>	<b>Max</b>	<b>Unit</b>
Operating Temperature	15	35	°C
Operating Relative Humidity	-	75	%
Storage Temperature	-20	80	°C
Storage Relative Humidity	-	90	%

This instruction is for reference only. Han's TCS improves its products continually, therefore may change specifications without notice to customers, for details, please contact with Han's TCS sales.

@2023 Han's TianCheng Semiconductor Co., Ltd. All rights reserved.